Author index

Amano, T. 31
Ang, L. H. 77
Arase, T. 31
Asada, M. 249
Asano, Y. 119
Asari, Y. 119

Bhuju, D. R. 139

Enoki, T. 1

Fujimoto, K. 409
Fujita, N. 165

Grubb, P. J. 9

Hagihara, A. 49
Hagiwara, M. 31
Hara, T. 255
Harada, A. 105
Hayashi, T. 31
Hayashida, M. 71
Higashi, M. 243
Hiratsuka, J. 303
Hori, Y. 39

Ikeda, R. 31
Imai, C. 105
Imaya, A. 409
Ino, Y. 59
Inoue, I. 31
Ishida, A. 77
Ishizaki, T. 385
Itow, S. 405
Iwatsubo, G. 361

Kagami, M. 233
Kaneko, N. 131, 271
Kasai, M. 119
Kawaguchi, H. 1
Kawaguchi, Y. 351
Kawamura, H. 119
Kimura, K. 179
Kitayama, K. 405
Koitabashi, T. 233
Kollmann, J. 9
Kuhara, N. 351
Kuninaka, M. 119
Kuramoto, S. 409

Li, B. 255
Li, D. 267
Liu, C. 225
Loppi, S. 89

Ma, K. 225
Maruhashi, T. 393
Matsumoto, Y. 77
Matsuoka, S. 291
Mitani, M. 371
Miyamoto, T. 71
Miyasaka, H. 351
Miyazaki, T. 233
Murofushi, T. 409

Nakano, S. 341, 351
Nakano, T. 77
Nakanishi, M. 233
Nakayama, Y. 291
Natuhara, Y. 105
Niizuma, Y. 155
Nishimura, A. 179
Noda, T. 193
Nozaki, K. 233

Ochiai, K. 249
Ohsawa, M. 139
Ohtsuka, T. 281
Oka, N. 303

Pirintsos, S. A. 89

Sakamaki, Y. 59
Sakata, H. 329
Sakoda, M. 77
Salamanca, E. F. 131
Sato, T. 385
Satoh, H. 303
Sawada, S. 105
Schmidt, O. 317
Sekino, T. 233
Shibata, Y. 351
Suzuki, E. 211
Suzuki, J-I. 255

Tabuchi, R. 409
Takahashi, A. 139
Takahashi, M. 105
Takatsuki, S. 205
Takeda, H. 361
Taniguchi, Y. 351
Tokuchi, N. 361
Tsuji, A. 233
Tsuyuzaki, S. 385
Tuno, N. 97

Urabe, H. 341, 351
Urabe, J. 233
Utsugi, H. 409

Vokou, D. 89

Wang, W. 225
Watanuki, Y. 155, 291
Weerasinghe, U. 205

Xue, L. 49

Yachi, S. 243
Yagihashi, T. 71
Yamamuro, M. 303
Yamasaki, S. 23
Yanagisawa, N. 165
Yokoi, T. 39
Yoshida, K. 361
Yoshimizu, C. 233
Yumoto, T. 179, 393

Zhang, Z. 267

Ecological Research (1999) 14, 421–425

Subject index

A

acorn
  eating by Sika deer, *Cervus nippon* (Note and Comment) 205
  removal and predation by small mammals 225
Ainsliaea apiculata; population structure and dynamics of with reference to herbivore effects 39
air quality; lichens as bioindicators of temporal variations in 89
animal-dispersed tree species; variation of fruiting phenology with fruit syndrome in 371
ant
  attendance; indirect interactions between two aphid species in relation to 329
  –plant interactions; pruning behavior and intercolony competition of the ant *Tetraponera aethiops* in the plant *Barteria fistulosa* 393
aphids; indirect interactions between two species of in relation to ant attendance 329
associative learning; a model for a case of warning signals 243
Asteraceae; population structure and dynamics of *Ainsliaea apiculata* with reference to herbivore effects 39

B

Barteria fistulosa; pruning behavior and intercolony competition of the ant *Tetraponera aethiops* in 393
biodiversity
  and pattern of land mosaics affecting butterfly assemblage 105
  in specific gravity, and water content of wood of tropical rainforest trees 211
bioindicator; lichens as bioindicators of temporal variations in air quality 89
biomass
  aboveground, and soil nutrient pools of *Scalesia pedunculata* montane forest (Note and Comment) 405
  allocation of two *Brassica* varieties and their competitive ability under varying nutrient availabilities 255
bird; ingestion of *Prunus* seeds and its effect on germination 71
butterfly assemblages; and pattern of land mosaics affecting 105

C

canopy influence; colonization patterns and species dynamics in an abandoned forest in an urban landscape 139
carbon
  gain and gametophyte contribution to the growth of sporophytes in ferns 59
  storage belowground of Micronesian mangrove forests (Note and Comment) 409
Cervus nippon
  acorn-eating by (Note and Comment) 205
  nitrogen content in the feces of the Sika deer in relation to its diet 249
chlorophyll fluorescence; and diurnal changes in leaf gas exchange in tropical trees with contrasting light requirements 77
circumnutation; and its significance to seedling establishment in *Oryza sativa* 31
classification; of vegetation in gullies developed by melting ice wedges in Siberia 385
colonization; patterns and species dynamics in an abandoned forest in an urban landscape 139
competition
  ability of two *Brassica* varieties in relation to biomass allocation and morphological plasticity under varying nutrient availabilities 255
  density effect in *Pinus densiflora* stands 49
  intercolony, and pruning behavior of the ant *Tetraponera aethiops* in the plant *Barteria fistulosa* 393
conservation; of butterflies and pattern of land mosaics affecting butterfly assemblage 105

D

decomposition
  rates; mixed leaf litter effects on in an oak–pine stand 131
  the effect of the millipede *Parafontaria tonominea* on 271
defoliation; and herbivore effects on population structure and dynamics of *Ainsliaea apiculata* 39
density
  dependence; and interactions between two aphid species in relation to ant attendance 329
  effect of in *Pinus densiflora* stands 49
  of rainbow trout and microhabitat availability in low-gradient Japanese streams 341

of seedlings of fleshy-fruited species under different shrub species 9
diet
and intrapopulation variation in carbon and nitrogen stable isotope ratios in *Aporrectodea longa* 317
and nitrogen content of feces of the Sika deer, *Cervus nippon* 249
selective foraging on terrestrial invertebrates by rainbow trout 351
digestive adaptation; and habitat selection by tufted ducks 303
distribution
patterns of woody species on a slope in relation to vertical root distribution and soil moisture 165
of size in *Pinus densiflora* stands 49
diversity; in specific gravity and water content of wood of tropical rainforest trees 211
ducks, tufted; habitat selection and digestive adaptation of 303

E

earthworm; intrapopulation variation in carbon and nitrogen stable isotope ratios in *Aporrectodea longa* 317
ecosystem; evaluation of the current situation and primary productivity in Lake Biwa, Japan 233
El Niño; outbreaks of the oriental migratory locust in China and their relationship to episodes of 267
energy deficits; and feeding rates of juvenile and adult Japanese monkeys 281
Erythronium japonicum; photosynthetic CO_2 uptake and carbon fixation in 119
Euphorbia adenochlora; organic matter economy of with reference to its life cycle 23

F

feeding rates; and energy deficits of juvenile and adult Japanese monkeys 281
fern; gametophyte contribution to the growth of sporophytes and carbon gain in 59
food provisioning; and parental body condition in Leach's storm petrels, *Oceanodroma leucorhoa* 155
foraging, selective; on terrestrial invertebrates by rainbow trout 351
fruiting phenology; its variation with fruit syndrome in animal-dispersed tree species 371
fungus, bracket; insect-feeding on spores of a 97

G

gametophyte; contribution to the growth of sporophytes and carbon gain in ferns 59
gas exchange
effects of microenvironmental factors on photosynthetic CO_2 uptake and carbon fixation in *Erythronium japonicum* 119
leaf; diurnal changes in and chlorophyll flourescence in tropical trees with contrasting light requirements 77
germination; of *Prunus* seeds and the effects of bird ingestion 71
gullies; developed by melting ice wedges and vegetation structure in 385

H

habitat
availability; and local density of rainbow trout in low-gradient Japanese streams 341
selection; by tufted ducks with reference to their digestive organ 303
herb, evergreen; population structure and dynamics of *Ainsliaea apiculata* with reference to herbivore effects 39
herbivore; effects on population structure and dynamics of *Ainsliaea apiculata* 39

I

ingestion; of *Prunus* seeds by birds and its effect on germination 71
insect-feeding; on spores of a bracket fungus, *Elfvingia applanata* 97
isotope ratios; intrapopulation variations in in the earthworm *Aporrectodea longa* 317

L

landscape; pattern of land mosaics affecting butterfly assemblage 105
Leach's storm petrels; food provisioning and parental body condition in 155
leaf
gas exchange; diurnal changes in and chlorophyll flourescence in tropical trees with contrasting light requirements 77
litter effects; on decomposition rates and soil microarthropod communities in an oak–pine stand 131

learning, associative; a model of for a case of warning signals 243
lichens; as bioindicators of temporal variations in air quality 89
life cycle; of *Euphorbia adenochlora* 23
light
and primary productivity in Lake Biwa, Japan 233
requirements; chlorophyll fluorescence and diurnal changes in leaf gas exchange in tropical trees with contrasting 77
litter decomposition; and soil microarthropod communities in an oak–pine stand 131
locust, oriental migratory; outbreaks in China and their relationship to El Niño episodes 267

M

mangrove forests; belowground carbon storage of (Note and Comment) 409
metabolism; photosynthetic CO_2 uptake and carbon fixation in *Erythronium japonicum* 119
microarthropod communities in soil; mixed leaf litter effects on in an oak–pine stand 131
microenvironmental factors; their effect on photosynthetic CO2 and carbon fixation in *Erythronium japonicum* 119
microhabitat availability; and local density of rainbow trout in low-gradient Japanese streams 341
millipedes; their effect on soil biological activities 271
model; of associative learning for a case of warning signals 243
monkey
species; retention times and distances of seed dispersal by *Alouatta seniculus* and *Lagothrix lagotricha* 179
Japanese; feeding rates and energy deficits of 281
montane forest; aboveground biomass and soil nutrient pools of *Scalesia pedunculata* (Note and Comment) 405
morphological plasticity; of two *Brassica* varieties and their competitive ability under varying nutrient availabilities 255
mortality; of seedlings of fleshy-fruited species under different shrub species 9
mussels; spatial variation and predation intensity on *Mytilus trossulus* 193
mutualism; and interactions between two aphid species in relation to ant attendance 329
mycophagy; insect-feeding on spores of a bracket fungus, *Elfvingia applanata* 97

N

nitrification; and topographical variations in a plant–soil system along a slope 361
nitrogen
content in the feces of Sika deer, *Cervus nippon*, and the diet of 249
resorption from needles of *Pinus thunbergii* and soil nutrient availability 1
Note and Comment 205, 405, 409
nutrient(s)
and primary productivity in Lake Biwa, Japan 233
availability; competitive ability of two *Brassica* varieties in relation to biomass allocation and morphological plasticity under varying 255
availability in soil and nitrogen resorption from needles of *Pinus thunbergii* 1
cycling; and the effect of the millipede *Parafontaria tonominea* on soil biological activities 271
in soil; and aboveground biomass of *Scalesia pedunculata* montane forest (Note and Comment) 405

O

offspring food demand; food provisioning and parental body condition in Leach's storm petrels, *Oceanodroma leucorhoa* 155
organic matter; economy of *Euphorbia adenochlora* with reference to its life cycle 23
oriental migratory locust; outbreaks in China and their relationship to El Niño episodes 267
Oryza sativa; seedling establishment of and the ecological significance of root tip rotation 31

P

Parafontaria tonominea; the effect of adult millipedes on soil biological activities 271
phenology, fruiting; its variation with fruit syndrome in animal-dispersed tree species 371
photosynthetic CO_2 uptake; and carbon fixation in *Erythronium japonicum* 119
phytoplankton; and primary productivity in Lake Biwa, Japan 233
Pinus
densiflora; density effect, self-thinning and size distribution of plants in stands of 49
thunbergii; nitrogen resorption from needles and soil nutrient availability 1

pioneers; and early stages of secondary succession in abandoned cropland 281
plant–ant interaction; pruning behavior and intercolony competition of the ant *Tetraponera aethiops* in the plant *Barteria fistulosa* 393
plant–soil system; topographical variations in along a slope 361
population
dynamics and interactions between two aphid species in relation to ant attendance 329
structure and dynamics of *Ainsliaea apiculata* with reference to herbivore effects 39
predation
and interactions between two aphid species in relation to ant attendance 329
and removal of *Quercus liaotunfensis* acorns by small mammals 225
intensity; on the mussel *Mytilus trossulus* and variation in 193
primary production; in Lake Biwa, Japan 233
pruning; behavior and intercolony competition of the ant *Tetraponera aethiops* in the plant *Barteria fistulosa* 393

Q

Quercus liaotunfensis; removal and predation on acorns of by small mammals 225

R

rainbow trout
microhabitat availability and local density of in low-gradient Japanese streams 341
selective foraging on terrestrial invertebrates by 351
rainforest trees; diversity in specific gravity and water content of wood of 211
recruitment
and variation of fruiting phenology with fruit syndrome in animal-dispersed tree species 371
of fleshy-fruited species under different shrub species 9
resorption; of nitrogen from needles of *Pinus thunbergii* and soil nutrient availability 1
rhizome; bulk density in relation to organic matter economy of *Euphorbia adenochlora* 23
root
distribution patterns of woody species in relation to 165
tip rotation and its significance to seedling establishment in *Oryza sativa* 31

S

secondary succession; in abandoned cropland 281
seed
-bank annuals;and early stages of secondary succession in abandoned cropland 281
dispersal by two monkey species, *Alouatta seniculus* and *Lagothrix lagotricha* 179
germination of *Prunus* species and the effects of bird ingestion 71
predation on *Quercus liaotunfensis* acorns by small mammals 225
seedling
density and mortality of fleshy-fruited species under different shrub species 9
establishment of *Oryza sativa* and the ecological significance of root tip rotation 31
self-thinning; in *Pinus densiflora* stands 49
shrub; seedling mortality and density under different species of 9
Sika deer
acorn-eating by (Note and Comment) 205
nitrogen content in feces and the diet of 249
slope; topographical variations in a plant–soil system along a 361
soil
biological activity; the effect of the millipede *Parafontaria tonominea* on 271
microarthropod communities; mixed leaf litter effects on in an oak–pine stand 131
nutrient availability and resorption from needles of *Pinus thunbergii* 1
nutrients; and aboveground biomass of *Scalesia pedunculata* montane forest (Note and Comment) 405
–plant system; topogrpahical variations in along a slope 361
water content and recruitment of fleshy-fruited species under different shrub species 9
spatial variation; and predation intensity on the mussel *Mytilus trossulus* 193
species
diversity and aboveground biomass and soil nutrient pools of *Scalesia pedunculata* montane forest (Note and Comment) 405
dynamics and colonization patterns in an abandoned forest in an urban landscape 139
specific gravity; and water content of wood of tropical rainforest trees 211
spore
dispersal and insect-feeding on spores of a bracket fungus, *Elfvingia applanata* 97
germination and insect-feeding on spores of a bracket fungus, *Elfvingia applanata* 97

sporophyte; gametophyte contribution to the growth of 59
succession, secondary; in abandoned cropland 281

T

temporal variation; in air quality and lichens as bioindicators of 89
terrestrial invertebrates; selective foraging by rainbow trout on 351
Tetraponera aethiops; pruning behaviour and intercolony competition of 393
Thelypteris palustris; gametophyte contribution to the growth of sporophytes and carbon gain in 59
topography
  and soil nutrient availability and nitrogen resorption 1
  variations; in a plant–soil system along a slope 361
trout, rainbow
  microhabitat availability and local density of in low-gradient Japanese streams 341
  selective foraging on terrestrial invertebrates by 351

V

variation, intrapopulation; in carbon and nitrogen stable isotope ratios in the earthworm *Aporrectodea longa* 317
vegetation structure; in gullies developed by melting ice wedges in Siberia 385

W

warning signals; a model of associative learning for a case of 243
water content; and specific gravity of wood of rainforest trees 211
woody species; distribution patterns of in relation to vertical root distribution and soil moisture 165

Z

zoochorous plants; and variation of fruiting phenology with fruit syndrome in 371